WHITMORE'S

MATERIAL SAFETY DATA SHEET

Not classified as hazardous according to criteria of Worksafe Australia.

I. IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

Product Name: Mechanics Thread Loosener Manufacturer/Supplier:

Chemical Family: Petroleum Hydrocarbon The Whitmore Manufacturing Company

Use: Thread Loosener - Penetrant 930 Whitmore Drive

Rockwall, Texas 75087, U.S.A.

Emergency Tel. No.: CHEMTREC U.S.A. & Canada 800-424-9300 (24 hrs)

International 703-527-3887 (Collect - 24 hr)

Australia 00-111-703-527-3887 (Collect - 24 hr)

II. COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Components CAS No. Wt% OSHA PEL TLV Of Exposure

None

III. ADVERSE HUMAN HEALTH EFFECTS

Eyes: Any eye contact will cause irritation.

Skin: Prolonged skin contact may cause irritation.

Inhalation: Breathing fumes in confined areas at elevated temperatures will cause lung irritation.

Ingestion: May be harmful if swallowed.

IV. FIRST AID MEASURES

Eyes: Flush with large amounts of cold water. If irritation persists, SEEK MEDICAL ATTENTION.

Skin: Thoroughly wash exposed area with soap and water.

Inhalation: Provide fresh air source. If irritation persists, SEEK MEDICAL ATTENTION.

Ingestion: If cathartic effect persists, SEEK MEDICAL ATTENTION.

V. FIRE FIGHTING MEASURES

Extinguishing Media: Foam, Dry Chemical, Carbon Dioxide

Unsuitable Extinguishing Media: None known.

Fire Fighting Protective Equipment: If product is overheated, use organic NIOSHA/MSHA filter-type

respirator.

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear plastic or neoprene rubber gloves and safety goggles.

Environmental Precautions: Check state regulatory requirements.

Spillage: Absorb with dry, inert material and shovel up.

VII. HANDLING AND STORAGE

Handling: Keep away from open flame or sparks. **Storage:** Keep away from open flame or sparks.

VIII. EXPOSURE CONTROL/PERSONAL PROTECTION

Respiratory Protection: None

Hand Protection: Protective gloves for hypersensitive persons.

Eye Protection: Safety Goggles

Body Protection: None

HMIS SYMBOLS

Health	1
Flammability	1
Reactivity	0
PPI	В

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Amber Odor: Petroleum

MSDS-085

No

Effective Date: 11-18-85

Revised Date: 9-19-06

Boiling Range/point, °F (°C): N/A Melting Point, °F (°C): N/A

Flash Point (COC), °F (°C): 375 (191) Autoignition Temperature, °F (°C): >600 (>316) Explosive Properties: LEL: N/A UEL: N/A Evaporation Rate (Butyl Acetate): N/A

Partition Coefficient (Log Pow): N/A Vapor Pressure (kPa): Nil

Density: 0.88 **Flammability:** N/A

Oxidizing Solubilities Vapor

Properties: None in Water: Nil Density: N/A % Volatiles: Nil

X. STABILITY AND REACTIVITY

Stability: Chemically stable under normal conditions.

Conditions to Avoid: None known.

Materials to Avoid: Strong oxidizing agents.

Decomposition Products: Oxides of CO₂, CO, SO₂, P₂O₅.

XI. TOXICOLOGICAL INFORMATION

Acute Toxicity: None Skin Irritancy: Very Mild Chronic Toxicity: None Skin Sensitization: None

Sub-acute/Subchronic Toxicity: Not Known Genotoxicity: Not Known

California Prop 65: N/A EC Classification (67/548/EEC): N/A

Carcinogenicity: NTP: No IARC: No OSHA:

LC-50: Not Available LD-50: Not Available

XII. ECOLOGICAL INFORMATION
Possible Effects: None known.

Behavior: Relatively well behaved. Bioaccumulation potential nil.

Environmental Fate: Not thought to be toxic to marine or land organisms.

XIII. WASTE DISPOSAL

Product Disposal: Contact waste disposal company or local authority for advice.

Container Disposal: Check state regulatory requirements.

XIV. TRANSPORT INFORMATION

DOT: Not Regulated UN No.: Not Regulated

Air Transport (ICAO/IATA): Not Regulated Sea Transport (IMO/IMDG): Not Regulated Road and Rail Transport (ADR/RID): Not Regulated

XV. REGULATORY INFORMATION

Labeling Information: N/A EC Annex 1 Classification: N/A

R Phrases: N/A

S Phrases: S2 Keep out of the reach of children.

Ozone Depleting Chemicals: None/Nil TSCA: All components listed.

WHMIS (Canada): N/A

EPA Regulation 40 CFR Part 372 (SARA Section 313): None

XVI. OTHER INFORMATION

None

WHITMORE'S

MATERIAL SAFETY DATA SHEET

Hazardous according to Worksafe Australia.

I. IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

Product Name: Mechanics Thread Loosener Manufacturer/Supplier:

(Aerosol) The Whitmore Manufacturing Company

Chemical Family: Petroleum Hydrocarbon 930 Whitmore Drive

Use: Thread Loosener - Penetrant Rockwall, Texas 75087, U.S.A.

Emergency Tel. No.: CHEMTREC U.S.A. & Canada 800-424-9300 (24 hrs)

International 703-527-3887 (Collect - 24 hr) Australia 00-111-703-527-3887 (Collect - 24 hr)

II. COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Components CAS No. Wt% OSHA PEL TLV TWA

Butane, Propane, 106-97-8, 6-10 1000 ppm 1000 ppm 800 ppm

Isobutane 74-98-6, 75-28-5

III. ADVERSE HUMAN HEALTH EFFECTS

Eyes: Any eye contact will cause irritation.

Skin: Prolonged skin contact may cause irritation.

Inhalation: Prolonged breathing of vapors will cause irritation to the respiratory tract, irregular heartbeat

and dizziness, weakness, fatigue, nausea, headaches, and possible unconsciousness and even

asphyxiation.

Ingestion: Ingestion causes gastrointestinal irritation, nausea, vomiting, and diarrhea. Aspiration of

material into the lungs can cause chemical pneumonia which can be fatal.

IV. FIRST AID MEASURES

Eyes: Flush with large amounts of cold water. If irritation persists, SEEK MEDICAL ATTENTION.

Skin: Thoroughly wash exposed area with soap and water.

Inhalation: Provide fresh air. If breathing difficulty persists, SEEK IMMEDIATE MEDICAL

ATTENTION.

Ingestion: Do not induce vomiting. If irritation persists, SEEK MEDICAL ATTENTION.

V. FIRE FIGHTING MEASURES

Extinguishing Media: Foam, Dry Chemical, Carbon Dioxide

Unsuitable Extinguishing Media: Not Determined

Fire Fighting Protective Equipment: Use OSHA approved self-contained breathing apparatus.

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear OSHA approved self-contained breathing apparatus.

Environmental Precautions: Observe all local, state, and federal regulations. Spillage: Absorb with dry, inert material and shovel up.

VII. HANDLING AND STORAGE

Handling: Keep away from open flame or sparks. Store in metal containers until disposal.

Storage: Store at temperatures below 120°F.

VIII. EXPOSURE CONTROL/PERSONAL PROTECTION

Respiratory Protection: Wear NIOSH/MSHA organic, filter-type respirator in confined areas or in poor

ventilation.

Hand Protection: None
Eye Protection: Safety Goggles

Body Protection: None

HMIS SYMBOLS

Flammability	4	MSDS-083
Reactivity	0	Effective Date: 8-2-96
PPI	С	Revised Date: 9-19-06

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Aerosol Color: Amber Odor: Hydrocarbon

Boiling Range/point, °F (°C): -40 to 293 (-40 to 145) Melting Point, °F (°C): N/A

Flash Point (T.C.C.), °F (°C): -142 (-97)

Explosive Properties: LEL: 1.8 UEL: 9.5 Evaporation Rate (Butyl Acetate): <1

Partition Coefficient (Log Pow): N/D Vapor Pressure (psi): 75 max (of can)

Partition Coefficient (Log Pow): N/D Vapor Pressure (psi): Density: 0.88 Flammability: Flammable

Oxidizing Solubilities Vapor

Properties: None in Water: Nil Density: 4.0 % Volatiles: <10

X. STABILITY AND REACTIVITY

Stability: Store below 120°F (49°C).

Conditions to Avoid: Powerful sources of ignition and extreme temperatures.

Materials to Avoid: Strong oxidizing agents.

Decomposition Products: Oxides of carbon, phosphorus, & hydrocarbons

XI. TOXICOLOGICAL INFORMATION

Acute Toxicity: N/A **Skin Irritancy:** Causes irritation.

Chronic Toxicity: N/A Skin Sensitization: N/A

 Sub-acute/Subchronic Toxicity:
 Not Known
 Genotoxicity:
 Not Known

 California Prop 65:
 Not Available
 EC Classification (67/548/EEC):
 R12/20

 Carcinogenicity:
 NTP:
 No
 IARC:
 No
 OSHA:
 No

LC-50: N/D LD-50: N/D

XII. ECOLOGICAL INFORMATION

Possible Effects: In extreme cases, may generate fractions that could act as a marine pollutant.

Potential unlikely.

Behavior: Relatively well behaved. Bioaccumulation potential nil.

Environmental Fate: Not thought to be toxic to marine or land organisims. Fluid is lower density than

water.

XIII. WASTE DISPOSAL

Product Disposal: Contact waste disposal company or local authority for advice.

Container Disposal: Observe all local, state, and federal regulations.

XIV. TRANSPORT INFORMATION

DOT: ORM - D UN No.: 1950
Air Transport (ICAO/IATA): Aerosols, Flammable, Class 2.1, UN 1950, ERG # 126

Sea Transport (IMO/IMDG): Aerosols, Flammable, Class 2.1, UN 1950, ERG # 126
Road and Rail Transport (ADR/RID): Aerosols, Flammable, Class 2.1, UN 1950, ERG # 126

XV. REGULATORY INFORMATION

Labeling Information: DOT - None **EC Annex 1 Classification:** R12/20

All Others - "Flammable Gas"

R Phrases: R12/20 Extremely flammable and harmful by inhalation. S Phrases: S-3 Keep in a cool place; S-2 Keep away from children.

Ozone Depleting Chemicals: None/Nil TSCA: All Components are list.

WHMIS (Canada): Aerosols, Flammable, Class 2.1, UN 1950, ERG # 126

EPA Regulation 40 CFR Part 372 (SARA Section 313): None

XVI. OTHER INFORMATION

None